


Performance Alloys® Custom Order Form

Name:	
Company Name:	
Billing Address:	Shipping Address:
City:	City:
State:	State:
Zip/Postal Code:	Zip/Postal Code:
Day Phone:	Fax Number:
E-Mail:	Date Required by:

Conventional Ejector Sleeve




Dimensions	
B1	K
B2	L
G	M
H	

Quantity	
Material	H 13 Other
Other Material	
Hardness	(Rc)
Nitride	O.D. I.D.
Tolerances*	
Comments	

Ejector Sleeve Tolerances*	
Sleeve/Shoulder Dia.(G/D)	+ .000 - .001
Head Diameter (H)	+ .000 - .010
Head thickness (K)	+ .000 - .002
Sleeve I.D. (B)	+ .0005 - .0000
Length (M)	+ .12 - .00
*Standard tolerances unless otherwise noted	

Step Pin




Quantity	
Material	H 13 Other
Other Material	
Hardness	(Rc)
Nitride	Yes No
Tolerances*	
Comments	

Dimensions	
D	L
G	M
H	R
K	

Core Pin Tolerances*	
Pin Diameter (G)	+ .001 - .000
Head Diameter (H)	+ .000 - .010
Head Thickness (K)	+ .000 - .002
Length (M)	+ .375 - .00
*Standard tolerances unless otherwise noted	

Ejector Pin Tolerances*	
Pin Diameter (G)	+ .000 - .001
Head Diameter (H)	+ .000 - .010
Head Thickness (K)	+ .000 - .002
Length (M)	+ .375 - .00
*Standard tolerances unless otherwise noted	

Conventional Pin



Dimensions	
G	K
H	M

Quantity	
Material	H 13 Other
Other Material	
Hardness	(Rc)
Nitride	Yes No
Tolerances*	
Comments	

Order Specifications

--